DEMKO CERTIFICATE

Certificate No. D-06461 Page 1/3

Date of Issue 2018-03-23

Certificate Holder ASTEC INTERNATIONAL LTD

16TH FL LU PLAZA

2 WING YIP ST, KWUN TONG KOWLOON HONG KONG

Manufacturer ASTEC INTERNATIONAL LTD

16TH FL LU PLAZA

2 WING YIP ST, KWUN TONG KOWLOON HONG KONG

Production site ASTEC POWER PHILIPPINES INC

104 LAGUNA BLVD LAGUNA TECHNOPARK STA ROSA 4026

LAGUNA PHILIPPINES

Certified Product Switching power supply for build-in IT equipment

Model DS495SPE-3-XXX

See Page 2

Trademark None

Rated Voltage / Frequency See Page 2
Rated Current / Power See Page 2

Insulation Class | Degree of protection (IP) X0

Tested acc. to EN 62368-1:2014/A11:2017, EN 62368-1:2014 **Test Report No.** E186249-A6005-CB-1 issued on 2018-03-20, E186249-A6005-CB-1 issued on 2018-03-20

Additional For building-in

Expire date 2028-03-22

Certification Manager Jan-Erik Storgaard This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the D Mark Requirements. The Designated Certificate holder is entitled to use the d or for cables <DEMKO> for the Certified Product manufactured at the production site(s) identified above, in accordance with the D Mark Service Agreement, including without limitation the D Mark Testing and Certification Services Service Terms. Only those Products bearing the D Mark should be considered as being covered by UL's D Mark Service. This Certificate shall remain valid through the expiration date, unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this Certificate is amended or withdrawn prior the expiration date.

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750 Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com www.ul-europe.com



Appendix DEMKO CERTIFICATE

Certificate No. D-06461 Page 2/3

Date of Issue 2018-03-23

Model Details:

DS495SPE-3-XXX where -XXX can be any alphanumeric character or blank that represents customer identity that does not affect safety.

Ratings:

Input: 100-240 Vac, 50/60 Hz, 6.6 A

Output: +12 Vdc, 41.25 A Max, +12 Vsb, 3 A Max, 495 W

Total output power not exceed 495 W

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750 Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com www.ul-europe.com



